



DUCKETT CRUSH TATOO-ET TR TP TC TY TV TL TD HH1T HH2T HH3T HH4T HH5T HH6T

CRUSH X GOLD CHIP X DURHAM

Sire: MAV004 CRUSH
 Dam: DUCKETT G CHIP TOKYO-ET EX-93
 3-09 2X 365D 14937 kgM 3.9% 579 kgF 3.3% 488 kgP
 MGS: MR CHASSITY GOLD CHIP-ET

Daughter Average:
 12366 kgM 494 kgF 0.40%F 396 kgP 0.30%P



Tree-Hayven Tatoo Song



Woodbine Tatoo Ohnest



Broadview-NR Tatoo Ms Ellee

INDEXES

| | |
|----------------------|------|
| TPI | 2089 |
| NM\$ | -15 |
| CM\$ | 15 |
| Feed Efficiency (\$) | -64 |
| Feed Saved | -76 |
| DWP\$ | -30 |
| WT\$ | 126 |
| CW\$ | -1 |

PRODUCTION

| | |
|--------------------------|---------|
| PTA Milk (lbs) | -583 |
| PTA Protein (lbs) | -3 |
| PTA Protein (%) | 0.05 |
| PTA Fat (lbs) | -32 |
| PTA Fat (%) | -0.04 |
| Production Reliability % | 96 |
| Dtrs/Herds | 462/266 |

TYPE

| | |
|-----------------------|--------|
| PTA Type | 2.78 |
| Udder Composite | 2.20 |
| Feet & Leg Composite | 0.97 |
| Body Weight Composite | 0.54 |
| Dairy Composite | 1.40 |
| Type Reliability % | 94 |
| Dtrs/Herds | 148/98 |

DAUGHTER FERTILITY

| | |
|-----------------------|---------|
| Fertility Index/Rel.% | -1.0 |
| DPR/Rel.% | -0.7/85 |
| HCR/Rel.% | 0.7/91 |
| CCR/Rel.% | -0.7/85 |

MANAGEMENT TRAITS

| | |
|---------------------------|---------|
| SCE/Rel.% | 2.1/98 |
| DCE/Rel.% | 2.1/84 |
| Gestation Length/Rel.% | 1.8/98 |
| Early First Calving/Rel.% | -5.3/74 |
| SSB/Rel.% | 6.7/95 |
| DSB/Rel.% | 5.5/83 |
| Productive Life/Rel.% | 2.3/87 |
| Livability/Rel.% | -1.1/77 |
| SCS/Rel.% | 2.65/93 |
| Milking Speed/Rel.% | |

CDCB/HA TYPE TRAITS

| | | | |
|----------------------|--------------|-------|-------------|
| Stature | short | 2.26 | tall |
| Strength | frail | 0.58 | strong |
| Body Depth | shallow | 1.45 | deep |
| Dairy Form | tight ribbed | 2.21 | open ribbed |
| Rump Width | narrow | 3.07 | wide |
| Rump Angle | high pins | 0.80 | sloped |
| Rear Leg (side view) | posty | 1.95 | sickled |
| Rear Leg (rear view) | hock-in | 1.24 | straight |
| Foot Angle | low angle | 1.12 | steep angle |
| Feet & Leg Score | low | 1.53 | high |
| Fore Udder | loose | 3.17 | strong |
| Rear Udder Height | low | 3.07 | high |
| Rear Udder Width | narrow | 2.51 | wide |
| Udder Cleft | weak | 1.91 | strong |
| Udder Depth | deep | 2.46 | shallow |
| Front Teat Placement | wide | 0.89 | close |
| Rear Teat Placement | wide | 1.07 | close |
| Teat Length | short | -1.19 | long |

SIRE FERTILITY

| | |
|-----------|---------|
| SCR/Rel.% | -1.5/98 |
|-----------|---------|

ZOETIS WELLNESS TRAITS CDCB

| | Value | Rel.% | | Value | Rel.% |
|--|-------|-------|-------------------------|-------|-------|
| | 109 | 44 | Mastitis | 3.8 | 77 |
| | 87 | 45 | Retained Placenta | -0.5 | 67 |
| | 91 | 43 | Metritis | -1.1 | 66 |
| | 97 | 35 | Hypocalcemia/Milk Fever | 0.0 | 56 |
| | 101 | 40 | Ketosis | 0.6 | 62 |
| | 97 | 40 | Displaced Abomasum | -0.9 | 65 |
| | 105 | 41 | Lameness | | |
| | 100 | 37 | Cow Respiratory Disease | | |
| | 99 | 33 | Cow Abortion | | |
| | 96 | 41 | Twinning | | |
| | 96 | 24 | Cystic Ovary | | |
| | N/A | N/A | Heifer Livability | 0.00 | 58 |
| | 100 | 38 | Calf Respiratory | | |
| | 102 | 41 | Calf Scours | | |
| | 99 | 44 | Calf Livability | | |