



HAMMER

734H000124

PEAK HAMMER-ET

HANKET X DOC X MONTEREY

H0840M003212150483 | DOB 3/9/2020

Kappa-Casein BE | Beta-Casein A1A2

Haplotypes

Genetic Codes TC TD TL TP TR TV TY

EFI 10.1% | RHA 99%

Current Proof USA-202108

CDCB & HA-USA Genetic Evaluations 08/2021

| CONFORMATION | | Based on 0 Daughters in 0 Herds (78% Rel) | |
|----------------|--|---|-----------------|
| PTAT | | | +4.46 |
| UDC | | | +3.08 |
| FLC | | | +1.88 |
| | | -2 -1 0 1 2 | |
| Stature | | | +5.16 Tall |
| Strength | | | +3.62 Strong |
| Body Depth | | | +3.81 Deep |
| Dairy form | | | +3.08 Open |
| Rump Angle | | | -1.60 High Pins |
| Thurl Width | | | +4.09 Wide |
| R. Legs-S View | | | +1.42 Sickie |
| R. Legs-R View | | | +2.71 Straight |
| Foot Angle | | | +3.29 Steep |
| F&L Score | | | +2.88 High |
| F. Udder Att. | | | +4.58 Strong |
| R. Udder Ht. | | | +4.24 High |
| R. Udder Wid. | | | +4.54 Wide |
| Udder Cleft | | | +3.86 Strong |
| Udder Depth | | | +3.69 Shallow |
| F. Teat Place | | | +2.87 Close |
| R. Teat Place | | | +3.41 Close |
| Teat Length | | | +1.34 Long |

| PEDIGREE | |
|----------|---------------------------|
| SIRE | SIEMERS HANKET-ET |
| DAM | LORITA HONEYMOON |
| MGS | WOODCREST KING DOC |
| MGD | LORITA MONTEREY LEAH-TW |
| MGGS | VIEW-HOME MONTEREY-ET |
| MGGD | NO-LIMIT MERIDIAN LEAH-ET |

| | | | |
|-----|------|------|-----|
| TPI | 2541 | NM\$ | 146 |
|-----|------|------|-----|

| PRODUCTION | | |
|--------------|----------|---------|
| Milk | +924 Lbs | 79% Rel |
| Protein | +38 Lbs | +0.03% |
| Fat | +16 Lbs | -0.07% |
| Cheese Merit | +\$157 | |

| Based on 0 Daughters in 0 Herds (100% US Daughters) | |
|---|--|
| Milk Production - US daughters | |
| Fat Yield - US daughters | |
| Protein Yield - US daughters | |

| HEALTH TRAITS | | | |
|--------------------|-------|-------------------------|-------|
| Productive Life | +1.1 | Daughter Pregnancy Rate | -2.3 |
| Livability | -5.0 | Cow Conception Rate | -1.9 |
| Somatic Cell Score | +2.75 | Heifer Conception Rate | 1.6 |
| Mastitis | 0.8% | Metritis | 1.0% |
| Ketosis | 1.6% | Displaced Abomasum | -0.2% |
| Retained Placenta | 0.1% | Milk Fever | 0.1% |

| CALVING TRAITS | | | | |
|---------------------|------|---------|----------|--------|
| Sire Calving Ease | 2.6% | 61% Rel | 0 Observ | |
| Dtr Calving Ease | 1.8% | 56% Rel | 0 Observ | 0 dtr. |
| Sire stillbirth | 7.1% | 56% Rel | 0 Observ | |
| Daughter stillbirth | 6.0% | 54% Rel | 0 Observ | 0 dtr. |