



SIEMERS DOC HANCOCK TR TP TM TC TY TV TL TD TE HH1T HH2T HH3T HH4T HH5T HH6T

DOC X MONTEREY X MOGUL

Sire: WOODCREST KING DOC
Dam: SIEMERS MONTEREY HANAN-ET VG-85
2-00 3X 156D 5,656 kgM 4.1% 235 kgF 3.2% 178 kgP
MGS: VIEW-HOME MONTEREY-ET

Daughter Average:
11,943 kgM 483 kgF 4.00%F 386 kgP 3.20%P



Hancock Daughter Group



Mar-Crest Hancock Heidi



Air-Osa Exel Hnck Allii 27316

INDEXES

| | |
|----------------------|------|
| TPI | 2766 |
| NM\$ | 553 |
| CM\$ | 559 |
| Feed Efficiency (\$) | 156 |
| Feed Saved | 27 |
| HHP\$ | 624 |
| DWP\$ | 414 |
| WT\$ | -24 |
| CW\$ | -60 |

PRODUCTION

| | |
|--------------------------|----------|
| PTA Milk (lbs) | 1262 |
| PTA Protein (lbs) | 43 |
| PTA Protein (%) | 0.01 |
| PTA Fat (lbs) | 50 |
| PTA Fat (%) | 0.01 |
| Production Reliability % | 99 |
| Dtrs/Herds | 4034/863 |

TYPE

| | |
|-----------------------|----------|
| PTA Type | 3.63 |
| Udder Composite | 3.39 |
| Feet & Leg Composite | 2.52 |
| Body Weight Composite | -0.42 |
| Dairy Composite | 1.49 |
| Type Reliability % | 99 |
| Dtrs/Herds | 2398/656 |

DAUGHTER FERTILITY

| | |
|------------------------|---------|
| Fertility Index/Rel. % | -1.7/97 |
| DPR/Rel. % | -2.1/97 |
| HCR/Rel. % | 1.5/96 |
| CCR/Rel. % | -2.5/97 |

SIRE FERTILITY

| | |
|------------|--------|
| SCR/Rel. % | 1.4/99 |
|------------|--------|

MANAGEMENT TRAITS

| | |
|-----------------------------|---------|
| SCE/Rel. % | 2.2/99 |
| DCE/Rel. % | 2.2/96 |
| Gestation Length/Rel. % | -0.3/99 |
| Early First Calving/Rel. % | -0.1/95 |
| SSB/Rel. % | 7.4/98 |
| DSB/Rel. % | 8.3/96 |
| Productive Life/Rel. % | 3.1/97 |
| Livability/Rel. % | -3.1/88 |
| Residual Feed Intake/Rel. % | 36/30 |
| SCS/Rel. % | 2.82/99 |
| Milking Speed/Rel. % | 92/90 |

CDCB/HA TYPE TRAITS

| | | | |
|----------------------|--------------|-------|-------------|
| Stature | short | 2.02 | tall |
| Strength | frail | 0.27 | strong |
| Body Depth | shallow | 1.41 | deep |
| Dairy Form | tight ribbed | 3.43 | open ribbed |
| Rump Width | narrow | 2.48 | wide |
| Rump Angle | high pins | -1.90 | sloped |
| Rear Leg (side view) | posty | 1.64 | sickled |
| Rear Leg (rear view) | hock-in | 2.77 | straight |
| Foot Angle | low angle | 2.89 | steep angle |
| Feet & Leg Score | low | 2.81 | high |
| Fore Udder | loose | 3.49 | strong |
| Rear Udder Height | low | 5.04 | high |
| Rear Udder Width | narrow | 4.71 | wide |
| Udder Cleft | weak | 2.62 | strong |
| Udder Depth | deep | 2.16 | shallow |
| Front Teat Placement | wide | 2.40 | close |
| Rear Teat Placement | wide | 2.78 | close |
| Teat Length | short | 1.12 | long |

ZOETIS

WELLNESS TRAITS

CDCB

| | Value | Rel. % | | Value | Rel. % |
|--|-------|--------|--------------------------|-------|--------|
| | 101 | 63 | Mastitis | 2.8 | 90 |
| | 100 | 63 | Retained Placenta | 0.4 | 89 |
| | 102 | 60 | Metritis | 2.5 | 87 |
| | 98 | 56 | Hypocalcemia/Milk Fever | 0 | 74 |
| | 87 | 55 | Ketosis | -0.8 | 86 |
| | 93 | 52 | Displaced Abomasum | 0.2 | 93 |
| | 97 | 59 | Lameness | | |
| | 92 | 53 | Cow Respiratory Disease | | |
| | 95 | 48 | Cow Abortion | | |
| | 104 | 61 | Twinning | | |
| | 100 | 38 | Cystic Ovary | | |
| | N/A | N/A | Heifer Livability | 1 | 82 |
| | 97 | 61 | Calf Respiratory Disease | | |
| | 91 | 62 | Calf Scours | | |
| | 96 | 65 | Calf Livability | | |